

Professor Dipankar Roy:

Total number of citation in 2010-11 # 96

(Updated: 03/05/11)

Source: Web of Science

Paper Authored by D Roy (2001-09)	Number of times cited in 2010-11	Cited by <i>Self-citations are not included</i>
Probing the electrochemical double layer of an ionic liquid using voltammetry and impedance spectroscopy: A comparative study of carbon nanotube and glassy carbon electrodes in [EMIM](+)[EtSO ₄](⁻), Zheng, JP; Goonetilleke, PC; Pettit, CM, et al., TALANTA Volume: 81 Issue: 3 Pages: 1045-1055 2010	1	Electrocapillarity under Ultraslow Relaxation of the Ionic Liquid Double Layer at the Interface between Trioctylmethylammonium Bis(nonafluorobutanesulfonyl)amide and Water Yasui Y, Kitazumi Y, Nishi N, et al.Source: JOURNAL OF PHYSICAL CHEMISTRY B Volume: 114 Issue: 34 Pages: 11141-11148
Electrochemical characterization of surface complexes formed on Cu and Ta in succinic acid based solutions used for chemical mechanical planarization Sulyma, CM; Roy, D, APPLIED SURFACE SCIENCE Volume: 256 Issue: 8 Pages: 2583-2595 Published: 2010	1	Role of amines and amino acids in enhancing the removal rates of undoped and P-doped polysilicon films during chemical mechanical polishing Dandu PRV, Peethala BC, Penta NK, et al.Source: COLLOIDS AND SURFACES A-PHYSICO-CHEMICAL AND ENGINEERING ASPECTS Volume: 366 Issue: 1-3 Pages: 68-73 Published: AUG 20 2010
DC voltammetry of ionic liquid-based capacitors: Effects of Faradaic reactions, electrolyte resistance and voltage scan speed investigated using an electrode of carbon nanotubes in EMIM-EtSO ₄ Zheng, JP; Pettit, CM; Goonetilleke, R, et al., TALANTA Volume: 78 Issue: 3 Pages: 1056-1062 Published: 2009	1	New ionic liquids from azepane and 3-methylpiperidine exhibiting wide electrochemical windows Belhocine T, Forsyth SA, Gunaratne HQN, et al., GREEN CHEMISTRY Volume: 13 Issue: 1 Pages: 59-63 Published: JAN 2011
Achievement of high planarization efficiency in CMP of copper at a reduced down pressure, Pandija, S; Roy, D; Babu, SV, MICROELECTRONIC ENGINEERING Volume: 86 Issue: 3 Pages: 367-373 Published: 2009	1	2. Effect of additives for higher removal rate in lithium niobate chemical mechanical planarization, Jeong S, Lee H, Cho H, et al.Source: APPLIED SURFACE SCIENCE Volume: 256 Issue: 6 Pages: 1683-1688 Published: JAN 1 2010
Analysis of current transients for voltage pulse-modulated surface processing: Application to anodic electro-dissolution of copper for electrochemical mechanical planarization Sulyma, CM; Goonetilleke, PC; Roy, D, JOURNAL OF MATERIALS PROCESSING TECHNOLOGY Volume: 209	1	Adsorption-desorption study of benzotriazole in a phosphate-based electrolyte for Cu electrochemical mechanical planarization Lin JY, West ACSSource: ELECTROCHIMICA ACTA Volume: 55 Issue: 7 Pages: 2325-2331 Published: FEB 28 2010

Issue: 3 Pages: 1189-1198		
<p>Dissolution Inhibition in Cu-CMP Using Dodecyl-Benzene-Sulfonic Acid Surfactant with Oxalic Acid and Glycine as Complexing Agents Surisetty, CVVS; Goonetilleke, PC; Roy, D, et al., JOURNAL OF THE ELECTROCHEMICAL SOCIETY Volume: 155 Issue: 12 Pages: H971-H980 Published: 2008</p>	2	<p>1. Performance of Sodium Dodecyl Sulfate in Slurry with Glycine and Hydrogen Peroxide for Copper-Chemical Mechanical Polishing , Pan Y, Lu XC, Pan GS, et al.Source: JOURNAL OF THE ELECTROCHEMICAL SOCIETY Volume: 157 Issue: 12 Pages: H1082-H1087 Published: 2010</p> <p>2. Role of amines and amino acids in enhancing the removal rates of undoped and P-doped polysilicon films during chemical mechanical polishing , Dandu PRV, Peethala BC, Penta NK, et al.Source: COLLOIDS AND SURFACES A-PHYSICO-CHEMICAL AND ENGINEERING ASPECTS Volume: 366 Issue: 1-3 Pages: 68-73 Published: AUG 20 2010</p>
<p>Investigation of dissolution inhibitors for electrochemical mechanical planarization of copper using beta-alanine as a complexing agent , Klug, BK; Pettit, CM; Pandija, S, et al.,JOURNAL OF APPLIED ELECTROCHEMISTRY Volume: 38 Issue: 10 Pages: 1347-1356 Published: 2008</p>	3	<p>3.Performance of Sodium Dodecyl Sulfate in Slurry with Glycine and Hydrogen Peroxide for Copper-Chemical Mechanical Polishing, Pan Y, Lu XC, Pan GS, et al.Source: JOURNAL OF THE ELECTROCHEMICAL SOCIETY Volume: 157 Issue: 12 Pages: H1082-H1087 Published: 2010</p> <p>2. Title: Role of amines and amino acids in enhancing the removal rates of undoped and P-doped polysilicon films during chemical mechanical polishing, Dandu PRV, Peethala BC, Penta NK, et al.Source: COLLOIDS AND SURFACES A-PHYSICO-CHEMICAL AND ENGINEERING ASPECTS Volume: 366 Issue: 1-3 Pages: 68-73 Published: AUG 20 2010</p> <p>1. Adsorption-desorption study of benzotriazole in a phosphate-based electrolyte for Cu electrochemical mechanical planarization, Lin JY, West ACS Source: ELECTROCHIMICA ACTA Volume: 55 Issue: 7 Pages: 2325-2331 Published: FEB 28 2010</p>
<p>Electrochemical investigation of surface reactions for chemical mechanical planarization of tantalum in oxalic acid solutions , Zheng, JP; Klug, BK; Roy, D, JOURNAL OF THE ELECTROCHEMICAL SOCIETY Volume: 155 Issue: 5 Pages: H341-H350 Published: 2008 Cited by</p>	2	<p>2. Electrochemical Impedance Spectroscopy, Chang BY, Park SMS Source: ANNUAL REVIEW OF ANALYTICAL CHEMISTRY, VOL 3 Book Series: Annual Review of Analytical Chemistry Volume: 3 Pages: 207-229 Published: 2010</p> <p>1.Role of amines and amino acids in enhancing the removal rates of undoped and P-doped polysilicon films during chemical mechanical polishing, Dandu PRV,</p>

		Peethala BC, Penta NK, et al.Source: COLLOIDS AND SURFACES A-PHYSCOCHEMICAL AND ENGINEERING ASPECTS Volume: 366 Issue: 1-3 Pages: 68-73 Published: AUG 20 2010
Relative roles of acetic acid, dodecyl sulfate and benzotriazole in chemical mechanical and electrochemical mechanical planarization of copper , Goonetilleke, PC; Roy, D , APPLIED SURFACE SCIENCE Volume: 254 Issue: 9 Pages: 2696-2707 Published: 2008	2	2. Performance of Sodium Dodecyl Sulfate in Slurry with Glycine and Hydrogen Peroxide for Copper-Chemical Mechanical Polishing , Pan Y, Lu XC, Pan GS, et al.Source: JOURNAL OF THE ELECTROCHEMICAL SOCIETY Volume: 157 Issue: 12 Pages: II1082-II1087 Published: 2010 1. Study on electrochemical mechanical polishing process of copper circuit on PCB, Kulyk N, An CY, Oh JH, et al.Source: KOREAN JOURNAL OF CHEMICAL ENGINEERING Volume: 27 Issue: 1 Pages: 310-314 Published: JAN 2010
Surface plasmon resonance as a time-resolved probe of structural changes in molecular films: Considerations for correlating resonance shifts with adsorbate layer parameters , Pettit, CM; Roy, D, ANALYST Volume: 132 Issue: 6 Pages: 524-535 Published: 2007	1	Surface-enhanced Raman spectroscopic and surface plasmon resonance in situ study of self-assembly of 4-mercaptobenzoic acid on gold surface, Thi MD, Volka KSource: JOURNAL OF MOLECULAR STRUCTURE Volume: 976 Issue: 1-3 Special Issue: Sp. Iss. SI Pages: 297-300 Published: JUL 15 2010
Chemical mechanical planarization of copper using abrasive-free solutions of oxalic acid and hydrogen peroxide, Pandija, S; Roy, D; Babu, SV, MATERIALS CHEMISTRY AND PHYSICS Volume: 102 Issue: 2-3 Pages: 144-151 Published: APR 15 2007	3	3. Electrochemical characterization of Cu dissolution and chemical mechanical polishing in ammonium hydroxide-hydrogen peroxide based slurries, Venkatesh RP, Ramanathan SSource: JOURNAL OF APPLIED ELECTROCHEMISTRY Volume: 40 Issue: 4 Pages: 767-776 Published: APR 2010 2.Performance of Sodium Dodecyl Sulfate in Slurry with Glycine and Hydrogen Peroxide for Copper-Chemical Mechanical Polishing , Pan Y, Lu XC, Pan GS, et al.Source: JOURNAL OF THE ELECTROCHEMICAL SOCIETY Volume: 157 Issue: 12 Pages: II1082-II1087 Published: 2010 3. Potassium sorbate as an inhibitor in copper chemical mechanical planarization slurry. Part I. Elucidating slurry chemistry, Nagar M, Starosvetsky D, Vaes J, et al.Source: ELECTROCHIMICA ACTA Volume: 55 Issue: 10 Pages: 3560-3571 Published: APR 1 2010
Voltage pulse-modulated electrochemical removal of copper surface layers using citric acid as a complexing agent, Goonetilleke, PC; Roy, D, MATERIALS LETTERS Volume: 61 Issue: 2 Pages: 380-383 Published: JAN 2007	1	1. Adsorption-desorption study of benzotriazole in a phosphate-based electrolyte for Cu electrochemical mechanical planarization, Lin JY, West ACSource: ELECTROCHIMICA ACTA Volume: 55 Issue: 7 Pages: 2325-2331 Published: FEB 28 2010

<p>Comparison of dicarboxylic acids as complexing agents for abrasive-free chemical mechanical planarization of copper, Ramakrishnan, S; Janjam, SVSB; Patri, UB, et al., MICROELECTRONIC ENGINEERING Volume: 84 Issue: 1 Pages: 80-86 Published: JAN 2007</p>	2	<p>2. Optimization of slurry components for a copper chemical mechanical polishing at low down pressure using response surface methodology, Liu XY, Liu YL, Liang Y, et al. Source: MICROELECTRONIC ENGINEERING Volume: 88 Issue: 1 Pages: 99-104 Published: JAN 2011</p> <p>1. Development of a Copper Chemical Mechanical Polishing Slurry at Neutral pH Based on Ceria Slurry, Kim YJ, Kwon OJ, Kang MC, et al. Source: JOURNAL OF THE ELECTROCHEMICAL SOCIETY Volume: 157 Issue: 10 Pages: H952-H958 Published: 2010</p>
<p>Combining impedance spectroscopy with cyclic voltammetry: Measurement and analysis of kinetic parameters for faradaic and nonfaradaic reactions on thin-film gold Pettit, CM; Goonetilleke, PC; Sulyma, CM, et al. ANALYTICAL CHEMISTRY Volume: 78 Issue: 11 Pages: 3723-3729 Published: JUN 1 2006</p>	2	<p>2. Electrochemical Impedance Spectroscopy Author(s): Chang BY, Park SMS Source: ANNUAL REVIEW OF ANALYTICAL CHEMISTRY, VOL 3 Book Series: Annual Review of Analytical Chemistry Volume: 3 Pages: 207-229 Published: 2010</p> <p>1. Cyclic Biamperometry Author(s): Rahimi M, Mikkelsen SR Source: ANALYTICAL CHEMISTRY Volume: 82 Issue: 5 Pages: 1779-1785 Published: MAR 1 2010</p>
<p>Measurement of differential capacitance for faradaic systems under potentiodynamic conditions: Considerations of Fourier transform and phase-selective techniques Author(s): Pettit, CM Source: JOURNAL OF ELECTROANALYTICAL CHEMISTRY Volume: 589 Issue: 2 Pages: 219-231 Published: APR 15 2006</p>	1	<p>2. Electrochemical Impedance Spectroscopy Author(s): Chang BY, Park SMS Source: ANNUAL REVIEW OF ANALYTICAL CHEMISTRY, VOL 3 Book Series: Annual Review of Analytical Chemistry Volume: 3 Pages: 207-229 Published: 2010</p>
<p>Electrochemical impedance characteristics of Ta/Cu contact regions in polishing slurries used for chemical mechanical planarization of Ta and Cu: considerations of galvanic corrosion Assiongon, KA; Emery, SB; Gorantla, VRK, et al. Source: CORROSION SCIENCE Volume: 48 Issue: 2 Pages: 372-388 Published: FEB 2006</p>	1	<p>Electrochemical-mechanical polishing application: Monitoring of electrochemical copper removal from current-voltage characteristics in HNO₃ electrolyte Seo YJ Source: MICROELECTRONIC ENGINEERING Volume: 88 Issue: 1 Pages: 46-52 Published: JAN 2011</p>
<p>Ammonium dodecyl sulfate as a potential corrosion inhibitor surfactant for electrochemical mechanical planarization of copper</p>	3	<p>3. Effect of mechanical factor in uniformity for electrochemical mechanical planarization, Jeong S, Bae J, Lee H, et al. Source: SENSORS AND ACTUATORS A-</p>

<p>Hong, Y; Roy, D; Babu, SV Source: ELECTROCHEMICAL AND SOLID STATE LETTERS Volume: 8 Issue: 11 Pages: G297-G300 Published: 2005</p>		<p>PHYSICAL Volume: 163 Issue: 1 Pages: 433-439 Published: SEP 2010</p> <p>2. Title: Effect of Cu-Ion Concentration in Concentrated H3PO4 Electrolyte on Cu Electrochemical Mechanical Planarization , Author(s): Kung TM, Liu CP, Chang SC, et al.Source: JOURNAL OF THE ELECTROCHEMICAL SOCIETY Volume: 157 Issue: 7 Pages: H763-H770 Published: 2010</p> <p>1. Title: Adsorption-desorption study of benzotriazole in a phosphate-based electrolyte for Cu electrochemical mechanical planarization, Author(s): Lin JY, West ACSource: ELECTROCHIMICA ACTA Volume: 55 Issue: 7 Pages: 2325-2331 Published: FEB 28 2010</p>
<p>Citric acid as a complexing agent in CMP of copper investigation of surface reactions using impedance spectroscopy Author(s): Gorantla, VRK; Assiongbon, KA; Babu, SV, et al. Source: JOURNAL OF THE ELECTROCHEMICAL SOCIETY Volume: 152 Issue: 5 Pages: G404-G410 Published: 2005</p>	<p>3</p>	<p>3. Effects of the Functional Groups of Complexing Agents and Cu Oxide Formation on Cu Dissolution Behaviors in Cu CMP Process Author(s): Kim YJ, Kwon OJ, Kang MC, et al.Source: JOURNAL OF THE ELECTROCHEMICAL SOCIETY Volume: 158 Issue: 2 Pages: H190-H196 Published: 2011</p> <p>2. Performance of Sodium Dodecyl Sulfate in Slurry with Glycine and Hydrogen Peroxide for Copper-Chemical Mechanical Polishing Author(s): Pan Y, Lu XC, Pan GS, et al.Source: JOURNAL OF THE ELECTROCHEMICAL SOCIETY Volume: 157 Issue: 12 Pages: H1082-H1087 Published: 2010</p> <p>1. Potassium sorbate as an inhibitor in copper chemical mechanical planarization slurry. Part I. Elucidating slurry chemistry Author(s): Nagar M, Starosvetsky D, Vaes J, et al.Source: ELECTROCHIMICA ACTA Volume: 55 Issue: 10 Pages: 3560-3571 Published: APR 1 2010</p>
<p>Utility of dodecyl sulfate surfactants as dissolution inhibitors in chemical mechanical planarization of copper Author(s): Hong, Y; Patri, UB; Ramakrishnan, S, et al. Source: JOURNAL OF MATERIALS RESEARCH Volume: 20 Issue: 12 Pages: 3413-3424 Published: DEC 2005</p>	<p>5</p>	<p>1. Performance of Sodium Dodecyl Sulfate in Slurry with Glycine and Hydrogen Peroxide for Copper-Chemical Mechanical Polishing Author(s): Pan Y, Lu XC, Pan GS, et al.Source: JOURNAL OF THE ELECTROCHEMICAL SOCIETY Volume: 157 Issue: 12 Pages: H1082-H1087 Published: 2010</p> <p>2. Title: Effect of organic additives on copper</p>

		<p>dissolution for e-CMP , Author(s): Cojocaru P, Muscolino F, Magagnin L Source: MICROELECTRONIC ENGINEERING Volume: 87 Issue: 11 Pages: 2187-2189 Published: NOV 2010</p> <p>1. Title: Electrochemical Impedance Spectroscopy Author(s): Chang BY, Park SMS Source: ANNUAL REVIEW OF ANALYTICAL CHEMISTRY, VOL 3 Book Series: Annual Review of Analytical Chemistry Volume: 3 Pages: 207-229 Published: 2010</p>
<p>Electrochemical-mechanical planarization of copper: Effects of chemical additives on voltage controlled removal of surface layers in electrolytes Author(s): Goonetilleke, PC; Roy, D Source: MATERIALS CHEMISTRY AND PHYSICS Volume: 94 Issue: 2-3 Pages: 388-400 Published: DEC 15 2005</p>	2	<p>2. Electrochemical-mechanical polishing application: Monitoring of electrochemical copper removal from current-voltage characteristics in HNO₃ electrolyte Author(s): Seo YJ Source: MICROELECTRONIC ENGINEERING Volume: 88 Issue: 1 Pages: 46-52 Published: JAN 2011</p> <p>1. Title: Study on electrochemical mechanical polishing process of copper circuit on PCB Author(s): Kulyk N, An CY, Oh JH, et al. Source: KOREAN JOURNAL OF CHEMICAL ENGINEERING Volume: 27 Issue: 1 Pages: 310-314 Published: JAN 2010</p>
<p>Electro-oxidation of methanol on gold in alkaline media: Adsorption characteristics of reaction intermediates studied using time resolved electrochemical impedance and surface plasmon resonance techniques Author(s): Assiongbon, KA; Roy, D Source: SURFACE SCIENCE Volume: 594 Issue: 1-3 Pages: 99-119 Published: DEC 1 2005</p>	7	<p>7. A new gold(III)-aminoethyl imidazolium aurate salt as precursor for nanosized Au electrocatalysts Author(s): Ballarin B, Cassani MC, Gazzano M, et al. Source: ELECTROCHIMICA ACTA Volume: 56 Issue: 2 Pages: 676-686 Published: DEC 30 2010</p> <p>6. FTIR Spectroelectrochemistry Cyclic Voltabsorptometry Studies of Oxidation of Methanol in Alkaline Media Author(s): Fu DQ, Jin BK Source: CHINESE JOURNAL OF INORGANIC CHEMISTRY Volume: 26 Issue: 11 Pages: 2001-2005 Published: NOV 10 2010</p> <p>5. Reactivity of Gold Nanobelts with Unique {110} Facets Author(s): Chen Y, Milenkovic S, Hassel AW Source: CHEMPHYSICHEM Volume: 11 Issue: 13 Special Issue: Sp. Iss. SI Pages: 2838-2843 Published: SEP 10 2010</p> <p>4. A Three-Dimensional Gold-Decorated Nanoporous Copper Core-Shell Composite for Electrocatalysis and Nonenzymatic Biosensing Author(s): Chen LY, Fujita T, Ding Y, et al. Source:</p>

		<p>ADVANCED FUNCTIONAL MATERIALS Volume: 20 Issue: 14 Pages: 2279-2285 Published: JUL 23 2010</p> <p>3. Synthesis of propionic acid at a gold electrode by electrochemical technique Author(s): Ahmad AB, Othman MRSource: SCIENCEASIA Volume: 36 Issue: 1 Pages: 81-84 Published: MAR 2010</p> <p>2. Synergistic effect of Pd-Au bimetallic surfaces in Au-covered Pd nanowires studied for ethanol oxidation Author(s): Cheng FL, Dai XC, Wang H, et al.Source: ELECTROCHIMICA ACTA Volume: 55 Issue: 7 Pages: 2295-2298 Published: FEB 28 2010</p> <p>1. Novel Nanoporous Au-Pd Alloy with High Catalytic Activity and Excellent Electrochemical Stability Author(s): Lang XY, Guo H, Chen LY, et al.Source: JOURNAL OF PHYSICAL CHEMISTRY C Volume: 114 Issue: 6 Pages: 2600-2603 Published: FEB 18 2010</p>
<p>Surface-enhanced infrared ellipsometry of self-assembled undecanethiol and dodecanethiol monolayers on disordered gold nanoisland substrates Author(s): Bradford, DC; Hutter, E; Fendler, JH, et al. Source: JOURNAL OF PHYSICAL CHEMISTRY B Volume: 109 Issue: 44 Pages: 20914-20922 Published: NOV 10 2005</p>	2	<p>2. Synchrotron infrared spectroscopic ellipsometry for characterization of biofunctional surfaces Author(s): Sun GG, Rosu DM, Zhang X, et al. Conference Information: 8th International Conference on Optics of Surfaces and Interfaces (OSI-VIII), SEP 07-11, 2009 Ischia, ITALYSource: PHYSICA STATUS SOLIDI B-BASIC SOLID STATE PHYSICS Volume: 247 Issue: 8 Pages: 1925-1931 Published: AUG 2010</p> <p>1. Tailoring Density and Optical and Thermal Behavior of Gold Surfaces and Nanoparticles Exploiting Aromatic Dithiols Author(s): Bruno G, Babudri F, Operamolla A, et al.Source: LANGMUIR Volume: 26 Issue: 11 Pages: 8430-8440 Published: JUN 1 2010</p>
<p>Time resolved impedance spectroscopy as a probe of electrochemical kinetics: The ferro/ferricyanide redox reaction in the presence of anion adsorption on thin film gold Author(s): Emery, SB; Hubble, JL; Roy, D Source: ELECTROCHIMICA ACTA Volume: 50 Issue: 28 Pages: 5659-5672 Published: SEP 30 2005</p>	2	<p>2. Synthesis and relevant electrochemical properties of 2-hydroxypropyltrimethyl ammonium chloride chitosan-grafted multiwalled carbon nanotubes Author(s): Li W, Xiao L, Qin CQSource: JOURNAL OF MATERIALS SCIENCE Volume: 45 Issue: 21 Pages: 5915-5922 Published: NOV 2010</p> <p>1. The determination of the kinetic parameters of electrochemical reaction in chemical power sources: A critical review Author(s): Xu YH, Chen Y, Wu J, et al.Source:</p>

		INTERNATIONAL JOURNAL OF HYDROGEN ENERGY Volume: 35 Issue: 12 Pages: 6366-6380 Published: JUN 2010
Chemical effects in chemical mechanical planarization of TaN: investigation of surface reactions in a peroxide-based alkaline slurry using Fourier transform impedance spectroscopy Author(s): Gorantla, V; Emery, SB; Pandija, S, et al. Source: MATERIALS LETTERS Volume: 59 Issue: 6 Pages: 690-693 Published: MAR 2005	1	1.Effect of Under-Layer Treatment of Ta/TaN Barrier Film on Corrosion Between Cu Seed and Ta in Chemical-Mechanical-Polishing Slurry Lee WH, Hung CC, Wang YS, et al. Conference Information: 1st International Workshop on Tip-Based Nanofabrication, OCT 19-21, 2008 Howard Int House, Taipei, TAIWAN Source: JOURNAL OF NANOSCIENCE AND NANOTECHNOLOGY Volume: 10 Issue: 7 Pages: 4196-4203 Published: JUL 2010
Chemical factors for chemical-mechanical and electrochemical-mechanical planarization of silver examined using potentiodynamic and impedance measurements Author(s): Emery, SB; Hubble, JL; Darling, MA, et al. Source: MATERIALS CHEMISTRY AND PHYSICS Volume: 89 Issue: 2-3 Pages: 345-353 Published: FEB 15 2005	2	2. Slurry parameters effect on Chemical-Mechanical Planarisation (CMP) of deposited silver (Ag) on chips Author(s): Dai YJ, Pan GS, Pei HF, et al. Source: INTERNATIONAL JOURNAL OF SURFACE SCIENCE AND ENGINEERING Volume: 4 Issue: 3 Special Issue: Sp. Iss. SI Pages: 237-249 Published: 2010 2. The Influence of Electroless Silver Deposition on Electrochemical Properties of the Steel Cathode Current Collector of Alkaline Batteries Author(s): Ghaemi M, Makhlooghi F, Adelkhani H, et al. Source: INTERNATIONAL JOURNAL OF ELECTROCHEMICAL SCIENCE Volume: 5 Issue: 1 Pages: 131-146 Published: JAN 2010
Relative roles of H ₂ O ₂ and glycine in CMP of copper studied with impedance spectroscopy Author(s): Lu, J; Garland, JE; Pettit, CM, et al. Source: JOURNAL OF THE ELECTROCHEMICAL SOCIETY Volume: 151 Issue: 10 Pages: G717-G722 Published: 2004	4	4. Electrochemical-mechanical polishing application: Monitoring of electrochemical copper removal from current-voltage characteristics in HNO ₃ electrolyte Author(s): Seo YJ Source: MICROELECTRONIC ENGINEERING Volume: 88 Issue: 1 Pages: 46-52 Published: JAN 2011 3. Electrochemical impedance spectroscopic studies of copper dissolution in glycine-hydrogen peroxide solutions Author(s): Venkatesh RP, Ramanathan S Conference Information: International Workshop on Electrochemistry of Electroactive Materials (WEEM-2009), JUL 14-19, 2009 Szezyrk, POLAND Source: JOURNAL OF SOLID STATE ELECTROCHEMISTRY Volume: 14 Issue: 11 Pages: 2057-2064 Published: NOV 2010 2. Copper deterioration: causes, diagnosis and risk minimisation

		<p>Author(s): Bastidas DM, Criado M, Fajardo S, et al. Source: INTERNATIONAL MATERIALS REVIEWS Volume: 55 Issue: 2 Pages: 99-127 Published: MAR 2010</p> <p>1. Identification of reaction mechanism for anodic dissolution of metals using Electrochemical Impedance Spectroscopy Author(s): Maddala J, Sambath K, Kumar V, et al. Source: JOURNAL OF ELECTROANALYTICAL CHEMISTRY Volume: 638 Issue: 2 Pages: 183-188 Published: JAN 15 2010</p>
<p>Chemical roles of peroxide-based alkaline slurries in chemical-mechanical polishing of Ta: investigation of surface reactions using time-resolved impedance spectroscopy Author(s): Assiongbon, KA; Emery, SB; Pettit, CM, et al. Source: MATERIALS CHEMISTRY AND PHYSICS Volume: 86 Issue: 2-3 Pages: 347-357 Published: AUG 15 2004</p>	1	<p>1. Odd random phase multisine EIS as a detection method for the onset of corrosion of coated steel Author(s): Breugelmans T, Tourwe E, Van Ingelgem Y, et al. Source: ELECTROCHEMISTRY COMMUNICATIONS Volume: 12 Issue: 1 Pages: 2-5 Published: JAN 2010</p>
<p>Analysis of experimental constraints and variables for time resolved detection of Fourier transform electrochemical impedance spectra Author(s): Garland, JE; Pettit, CM; Roy, D Source: ELECTROCHIMICA ACTA Volume: 49 Issue: 16 Pages: 2623-2635 Published: JUL 15 2004</p>	3	<p>3. Electrochemical Impedance Spectroscopy Author(s): Chang BY, Park SMS Source: ANNUAL REVIEW OF ANALYTICAL CHEMISTRY, VOL 3 Book Series: Annual Review of Analytical Chemistry Volume: 3 Pages: 207-229 Published: 2010</p> <p>2. The Influence of Electroless Silver Deposition on Electrochemical Properties of the Steel Cathode Current Collector of Alkaline Batteries Author(s): Ghaemi M, Makhlooghi F, Adelkhani H, et al. Source: INTERNATIONAL JOURNAL OF ELECTROCHEMICAL SCIENCE Volume: 5 Issue: 1 Pages: 131-146 Published: JAN 2010</p> <p>1. Characterisation of the electrochemical redox behaviour of Pt electrodes by potentiodynamic electrochemical impedance spectroscopy Author(s): Ragoisha GA, Osipovich NP, Bondarenko AS, et al. Source: JOURNAL OF SOLID STATE ELECTROCHEMISTRY Volume: 14 Issue: 4 Pages: 531-542 Published: APR 2010</p>
<p>Reflection and absorption techniques for optical characterization of chemically assembled nanomaterials Author(s): Roy, D; Fendler, J Source: ADVANCED MATERIALS Volume: 16 Issue: 6</p>	8	<p>8. FTIR spectroscopy as a tool for nano-material characterization Author(s): Baudot C, Tan CM, Kong JCS Source: INFRARED PHYSICS & TECHNOLOGY Volume: 53 Issue: 6 Pages: 434-438 Published: NOV 2010</p>

Pages: 479-508 Published: MAR 18 2004

Times Cited: 0

7. Angular reflectance of suspended gold, aluminum and silver nanospheres on a gold film: Effects of concentration and size distribution

Author(s): Aslan MM, Wriedt T
Source: JOURNAL OF NANOPARTICLE RESEARCH Volume: 12 Issue: 8
Pages: 3077-3086 Published: OCT 2010
Times Cited: 0

6. Monitoring the On-line Concentration and Separation of Gold Nanoparticles Using the Reversed Electrode Polarity Stacking Mode and Micellar Electrokinetic Chromatography

Author(s): Liu F
Source: ANALYTICAL SCIENCES Volume: 26 Issue: 11
Pages: 1145-1150 Published: NOV 2010

5. Quantitative Analysis of Multivalent Ligand Presentation on Gold Glyconanoparticles and the Impact on Lectin Binding

Author(s): Wang X, Ramstrom O, Yan M
Source: ANALYTICAL CHEMISTRY Volume: 82 Issue: 21
Pages: 9082-9089 Published: NOV 1 2010

4. Hydrogen-Bond-Guided Self-Assembly of Nucleotides on a Receptor-Array Surface

Author(s): Turygin DS, Subat M, Arslanov VV, et al.
Source: CHEMISTRY-A EUROPEAN JOURNAL Volume: 16 Issue: 34
Pages: 10560-10568 Published: 2010

3. Separation of alpha-lactalbumin grafted- and non-grafted maghemite core/silica shell nanoparticles by capillary zone electrophoresis

Author(s): Petr J, Teste B, Descroix S, et al.
Source: ELECTROPHORESIS Volume: 31 Issue: 16
Pages: 2754-2761 Published: AUG 2010

2. Mono layer-Capped Cubic Platinum Nanoparticles for Sensing Nonpolar Analytes in Highly Humid Atmospheres

Author(s): Dovgolevsky E, Konvalina G, Tisch U, et al.
Source: JOURNAL OF PHYSICAL CHEMISTRY C Volume: 114 Issue: 33
Pages: 14042-14049
Published: AUG 26 2010

1. Highly sensitive interfacial fluorescence sensing of deoxyribonucleic acid based on self-assembled multilayers

		Author(s): Sun XY, Liu B, Hu P, et al.Source: THIN SOLID FILMS Volume: 518 Issue: 15 Pages: 4437-4441 Published: MAY 31 2010
Ionization and reprotonation of self-assembled mercaptopropionic acid monolayers investigated by surface plasmon resonance measurements Author(s): Chah, S; Yi, J; Pettit, CM, et al. Source: LANGMUIR Volume: 18 Issue: 2 Pages: 314-318 Published: JAN 22 2002	1	1. Catalyst-Free Growth of ZnO Nanowires Based on Topographical Confinement and Preferential Chemisorption and Their Use for Room Temperature CO Detection Author(s): Youn SK, Ramgir N, Wang CY, et al.Source: JOURNAL OF PHYSICAL CHEMISTRY C Volume: 114 Issue: 22 Pages: 10092-10100 Published: JUN 10 2010
Surface kinetics of electrodeposited silver on gold probed with potential step and optical second harmonic generation techniques Author(s): Walters, MJ; Pettit, CM; Roy, D Source: PHYSICAL CHEMISTRY CHEMICAL PHYSICS Volume: 3 Issue: 4 Pages: 570-578 Published: 2001	1	1. Silver electrodeposition from water-acetonitrile mixed solvents. Part III-an in situ investigation by optical second harmonic generation spectroscopy Author(s): Tondo E, Mele C, Bozzini BSource: JOURNAL OF SOLID STATE ELECTROCHEMISTRY Volume: 14 Issue: 6 Pages: 989-995 Published: JUN 2010
Optical characterization of multi-layer thin films using the surface plasmon resonance method: A six-phase model based on the Kretschmann formalism Author(s): Roy, D Source: OPTICS COMMUNICATIONS Volume: 200 Issue: 1-6 Pages: 119-130 Published: DEC 15 2001	2	2. Modeling of the SPR resolution enhancement for conventional and nanoparticle inclusive sensors by using statistical hypothesis testing Author(s): Barnett A, Goldys EMSource: OPTICS EXPRESS Volume: 18 Issue: 9 Pages: 9384-9397 Published: APR 26 2010 1. Title: Near-field ellipsometry for thin film characterization Author(s): Liu Z, Zhang Y, Kok SW, et al.Source: OPTICS EXPRESS Volume: 18 Issue: 4 Pages: 3298-3310 Published: FEB 15 2010 Times Cited: 2
Surface plasmon resonance studies of gold and silver nanoparticles linked to gold and silver substrates by 2-aminoethanethiol and 1,6-hexanedithiol Author(s): Hutter, E; Fendler, JH; Roy, D Source: JOURNAL OF PHYSICAL CHEMISTRY B Volume: 105 Issue: 45 Pages: 11159-11168 Published: NOV 15 2001	12	12. Angular reflectance of suspended gold, aluminum and silver nanospheres on a gold film: Effects of concentration and size distribution Author(s): Aslan MM, Wriedt TSource: JOURNAL OF NANOPARTICLE RESEARCH Volume: 12 Issue: 8 Pages: 3077-3086 Published: OCT 2010 11. Optical Properties and Persistent Spectral Hole Burning of Near Infrared-Absorbing Hollow Gold Nanospheres Author(s): Wheeler DA, Newhouse RJ, Wang HN, et al.Source: JOURNAL OF PHYSICAL CHEMISTRY C Volume: 114 Issue: 42 Pages: 18126-18133 Published: OCT 28 2010 10. Water-soluble ZnO-Au nanocomposite-based probe for enhanced protein detection in a SPR biosensor

	<p>system Author(s): Wang LY, Sun Y, Wang JA, et al.Source: JOURNAL OF COLLOID AND INTERFACE SCIENCE Volume: 351 Issue: 2 Pages: 392-397 Published: NOV 15 2010</p> <p>9. Surface plasmon resonance biosensor modified with multilayer silver nanoparticles films Author(s): Chen YL, Dong BY, Zhou WYSource: APPLIED SURFACE SCIENCE Volume: 257 Issue: 3 Pages: 1021-1026 Published: NOV 15 2010</p> <p>8. Development of Nanostructured Plasmonic Substrates for Enhanced Optical Biosensing Author(s): Byun KMSource: JOURNAL OF THE OPTICAL SOCIETY OF KOREA Volume: 14 Issue: 2 Pages: 65-76 Published: JUN 2010</p> <p>7. Use of Reversal Nanoimprinting of Nanoparticles to Prepare Flexible Waveguide Sensors Exhibiting Enhanced Scattering of the Surface Plasmon Resonance Author(s): Wan DH, Chen HL, Lai YT, et al.Source: ADVANCED FUNCTIONAL MATERIALS Volume: 20 Issue: 11 Pages: 1742-1749 Published: JUN 9 2010</p> <p>6. Improved functionality of antibody-colloidal gold conjugates with the aid of lipoamide-grafted N-[tris(hydroxymethyl)methyl]acrylamide polymers Author(s): Albers WM, Munter T, Laaksonen P, et al.Source: JOURNAL OF COLLOID AND INTERFACE SCIENCE Volume: 348 Issue: 1 Pages: 1-8 Published: AUG 1 2010</p> <p>5. Evaluation of polymer coatings for ammonia vapor sensing with surface plasmon resonance spectroscopy Author(s): Banerji S, Peng W, Kim YC, et al.Source: SENSORS AND ACTUATORS B-CHEMICAL Volume: 147 Issue: 1 Pages: 255-262 Published: MAY 18 2010</p> <p>4. Small Noncytotoxic Carbon Nano-Onions: First Covalent Functionalization with Biomolecules Author(s): Luszczyn J, Plonska-Brzezinska ME, Palkar A, et al.Source: CHEMISTRY-A EUROPEAN JOURNAL Volume: 16 Issue: 16 Pages: 4870-4880 Published: 2010</p> <p>3. Distance- and Wavelength-Dependent Dielectric Function of Au Nanoparticles by Angle-Resolved Surface</p>
--	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

		<p>Plasmon Resonance Imaging Author(s): Golden MS, Bjonnes AC, Georgiadis RMSource: JOURNAL OF PHYSICAL CHEMISTRY C Volume: 114 Issue: 19 Pages: 8837-8843 Published: MAY 20 2010</p> <p>2. Modeling of the SPR resolution enhancement for conventional and nanoparticle inclusive sensors by using statistical hypothesis testing Author(s): Barnett A, Goldys E Source: OPTICS EXPRESS Volume: 18 Issue: 9 Pages: 9384-9397 Published: APR 26 2010</p> <p>1. Propagating Surface Plasmon Resonance on Microhole Arrays Author(s): Live LS, Bolduc OR, Masson JF Source: ANALYTICAL CHEMISTRY Volume: 82 Issue: 9 Pages: 3780-3787 Published: MAY 1 2010</p>
<p>The effect of substrate metal on 2-aminoethanethiol and nanoparticle enhanced surface plasmon resonance imaging Author(s): Chah, S; Hutter, E; Roy, D, et al. Source: CHEMICAL PHYSICS Volume: 272 Issue: 1 Pages: 127-136 Published: OCT 1 2001</p>	<p>4</p>	<p>4. Surface plasmon resonance biosensor modified with multilayer silver nanoparticles films Author(s): Chen YL, Dong BY, Zhou WY Source: APPLIED SURFACE SCIENCE Volume: 257 Issue: 3 Pages: 1021-1026 Published: NOV 15 2010 Times Cited: 0</p> <p>3. Evaluation of polymer coatings for ammonia vapor sensing with surface plasmon resonance spectroscopy Author(s): Banerji S, Peng W, Kim YC, et al. Source: SENSORS AND ACTUATORS B-CHEMICAL Volume: 147 Issue: 1 Pages: 255-262 Published: MAY 18 2010</p> <p>2. Surface Plasmon Resonance on Gold and Silver Films Coated with Thin Layers of Amorphous Silicon-Carbon Alloys Author(s): Touahir L, Niedziolka-Jonsson J, Galopin E, et al. Source: LANGMUIR Volume: 26 Issue: 8 Pages: 6058-6065 Published: APR 20 2010</p> <p>1. Preparation of Amino-functionalized Multiwall Carbon Nanotube/Gold Nanoparticle Composites Author(s): Ding MY, Zheng R Source: CHINESE JOURNAL OF CHEMISTRY Volume: 28 Issue: 2 Pages: 208-212 Published: FEB 2010 Times Cited: 0</p>
<p>Surface plasmon resonance spectroscopy of dielectric</p>	<p>3</p>	<p>3. Surface Plasmon-Enhanced Fluorescence</p>

<p>coated gold and silver films on supporting metal layers: Reflectivity formulas in the Kretschmann formalism Author(s): Roy, D Source: APPLIED SPECTROSCOPY Volume: 55 Issue: 8 Pages: 1046-1052 Published: AUG 2001</p>		<p>Spectroscopy on Silver Based SPR Substrates Author(s): Touahir L, Jenkins ATA, Boukherroub R, et al. Source: JOURNAL OF PHYSICAL CHEMISTRY C Volume: 114 Issue: 51 Pages: 22582-22589 Published: DEC 30 2010</p> <p>2. The detection of small organic molecules based on novel functionalized Surface Plasmon Resonance Sensors Author(s): Zheng R, Cameron BD Conference Information: Conference on Plasmonics in Biology and Medicine VII, JAN 25-28, 2010 San Francisco, CA Source: PLASMONICS IN BIOLOGY AND MEDICINE VII Book Series: Proceedings of SPIE-The International Society for Optical Engineering Volume: 7577 Pages: - Published: 2010</p> <p>1. High resolution surface plasmon microscopy for cell imaging Author(s): Argoul F, Monier K, Roland T, et al. Conference Information: Conference on Biophotonics - Photonic Solutions for Better Health Care II, APR 12-16, 2010 Brussels, BELGIUM Source: BIOPHOTONICS: PHOTONIC SOLUTIONS FOR BETTER HEALTH CARE II Book Series: Proceedings of SPIE-The International Society for Optical Engineering Volume: 7715 Pages: - Published: 2010</p>
<p>Analysis of potentiostatic current transients at metal/liquid interfaces: resolving the effects of a finite step interval Author(s): Garland, JE; Pettit, CM; Walters, MJ, et al. Source: SURFACE AND INTERFACE ANALYSIS Volume: 31 Issue: 6 Pages: 492-503 Published: JUN 2001</p>	<p>1</p>	<p>1. Electrochemical-mechanical polishing application: Monitoring of electrochemical copper removal from current-voltage characteristics in HNO₃ electrolyte Author(s): Seo YJ Source: MICROELECTRONIC ENGINEERING Volume: 88 Issue: 1 Pages: 46-52 Published: JAN 2011</p>
<p>Role of substrate metal in gold nanoparticle enhanced surface plasmon resonance imaging Author(s): Hutter, E; Cha, S; Liu, JF, et al. Source: JOURNAL OF PHYSICAL CHEMISTRY B Volume: 105 Issue: 1 Pages: 8-12 Published: JAN 11 2001</p>	<p>4</p>	<p>4. Adjustment and control of SERS activity of metal substrates by pressure Author(s): Xia LX, Jia Y, Liu GY, et al. Source: JOURNAL OF RAMAN SPECTROSCOPY Volume: 41 Issue: 4 Pages: 398-405 Published: APR 2010</p> <p>3. Distance- and Wavelength-Dependent Dielectric Function of Au Nanoparticles by Angle-Resolved Surface Plasmon Resonance Imaging Author(s): Golden MS, Bjonnes AC, Georgiadis RM Source: JOURNAL OF PHYSICAL CHEMISTRY C Volume: 114 Issue: 19 Pages: 8837-8843 Published: MAY 20 2010</p>

		<p>2. Modeling of the SPR resolution enhancement for conventional and nanoparticle inclusive sensors by using statistical hypothesis testing Author(s): Barnett A, Goldys EMSource: OPTICS EXPRESS Volume: 18 Issue: 9 Pages: 9384-9397 Published: APR 26 2010</p> <p>1. Gold nanoparticle-based biosensors Author(s): Li YY, Schluesener HJ, Xu SQSource: GOLD BULLETIN Volume: 43 Issue: 1 Pages: 29-41 Published: 2010 Times Cited: 0</p>
--	--	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------