


The Potential of Wikipedia's Special Edit Tags to Distinguish the Range of AI and Human Collaboration

Collaborators: Max Wang, Ashik Ahamed, Rosalia McLaughlin, Bhawana Khatri,
Amity Ramona Mentis-Cort, Dr. Jeanna Matthews



Clarkson™



Why Does
This Matter?

Tags

This page lists the tags that the software may mark an edit or logged action with, and their meaning. See Wikipedia:Tags. Administrators are able to perform different actions in respect to tags, including deleting some of them; please refer to the section on tag management in the documentation for indications.

Tag name	Appearance on change lists	Description	Source	Active?	Tagged changes
wikieditor	<i>(hidden)</i>	Edit made using WikiEditor (2010 wikitext editor)	Defined by the software	Yes	87,814,280 changes
mobile edit	Mobile edit	For edits made from a mobile device	Defined by the software	Yes	70,011,625 changes
mobile web edit	Mobile web edit	Edit made from mobile website	Defined by the software	Yes	63,537,465 changes
AWB	AWB	Edits made with AutoWikiBrowser	Applied manually by users and bots	Yes	42,997,328 changes
visualeditor	Visual edit	Edit made using the visual editor	Defined by the software	Yes	38,931,045 changes
mw-reverted	Reverted	Edits that were later reverted by a different edit	Defined by the software	Yes	21,975,232 changes
discussiontools-added-comment	<i>(hidden)</i>	A talk page comment was added in this edit	Defined by the software	Yes	16,185,716 changes
mw-undo	Undo	Edits that undo previous edits using the undo link	Defined by the software	Yes	11,948,628 changes
talk banner shell conversion	Talk banner shell conversion	Tag for bot conversion of WikiProject quality assessments to the banner shell template , so people can filter these from their watchlists.	Applied manually by users and bots	Yes	10,510,127 changes
twinkle	Twinkle	Actions made using Twinkle	Applied manually by users	Yes	10,167,003 changes

水豚

中文

9个分类

水豚^[a]或称大海豚(*Hydrochoerushydrochaeris*)是现存最大的啮齿动物，^[1]原产于南美洲。它是水豚属的一种。现存的另一个成员是小水豚(*Hydrochoerus isthmius*)。它的近亲包括豚鼠和岩豚，与刺豚鼠、南美栗鼠和海狸鼠的亲缘关系较远。水豚栖息于热带草原和茂密的森林，也生活在水体附近。它是高度社会化的物种，可以成群结队地出现，多达一百只，但通常以 10-20 只为一群生活。水豚因其肉和皮，以及其厚厚的脂肪皮肤中的油脂而被猎捕。^[2]

关于与「水豚」标题相近或相同的条目，请见「**水豚 (消歧义)**」。

● 1次警告

点击段落开始翻译

您不需要将其全部添


使文本读起来更流畅

请阅读Help:翻译 (<https://w.wiki/QWp>) 了解翻译的基本事项, 并阅读Wikipedia:翻译腔 (<https://w.wiki/QWq>) 来了解翻译过程中的常见问题。

发布翻译

如果您满意这个结果，请按“发布”。请注意：“内容翻译”工具当前尚待完善，其中编辑的内容通常不适合直接发布。为保证条目质量，建议您点击“发布”左边的设置按钮，将“发布设置”设置为“个人草稿”或“社群草稿”，并在发布后使用其他人编辑工具完善内容和格式。各目标定之后再移动到正式条目。

Decoding Wikipedia's Metadata: Human, Bot, or Both?



Learning more about Wikipedia's special tags

Tag name	Appearance on change lists	Description	Source	Active?	Tagged changes	first_username (human)	first_usage_date	Category
wikieditor	<i>(hidden)</i>	Edit made using WikiEditor (2010 wikitext editor)	Defined by the software	Yes	<u>87,923,243 changes</u>	Frietjes	December 16, 2021	Manual
mobile edit	Mobile edit	For edits made from a mobile device	Defined by the software	Yes	<u>70,054,174 changes</u>	Pen1234567	November 1, 2012	Manual
mobile web edit	Mobile web edit	Edit made from mobile website	Defined by the software	Yes	63,576,687 changes	IndiEdit	June 12, 2014	Manual
AWB	AWB	Edits made with AutoWikiBrowser Existing Special Tags page	Applied manually by users and bots	Yes	43,022,284 changes	Reedy	January 17, 2018	Semi-Automated

Modified part

What's Next?

Contact: {mawang, ahamed, jnm, mclaugrj, mentism,
khatrib}@clarkson.edu