2016 Fibromyalgia Diagnostic Criteria

- 1. Widespread pain index (WPI) and symptom severity score (SSS)
 - WPI \geq 7 and SSS \geq 5 OR WPI 4-6 and SSS \geq 9
- 2. Generalized pain: pain in 4/5 regions
- 3. Symptoms present ≥ 3 months

1.

The fibromyalgia diagnosis can now be made <u>irrespective</u> of other diagnoses (you do not need to rule out all other conditions that could explain the symptoms, if criteria 1-3 are all met).

,			,				
Widespread pain index (WPI)							
In the past week, where have you had pain? (check all that apply)							
Left upper region (1) □ <i>L jaw</i>			Right upper re ☐ R jaw	A)	xial region (5) Neck		
☐ L jaw☐ L shoulder girdle			☐ R shoulder				
☐ Lupper arm			☐ Rupper ar		Lower back		
☐ L lower arm			☐ R lower arm				Chest
							Abdomen
Left lower region (3)			Right lower re				
☐ L hip (buttock/trochanter)			☐ R hip (buttock/trochanter)				
☐ Lupper leg			☐ R upper leg				
☐ L lower leg			☐ R lower leg				
Total: WPI score (add up boxes checked, 0-19)							
Number of regions checked (excluding items in italics); use this for criterion #2.							
Symptoms Severity Score (SSS)							
For each of the followin		, for the past week, rate				1 2	
	0=No problem		slight or mild roblem, often	2=moderate, considerable		3=severe, pervasive,	
	problem	mild or			roblem, often	continuous, life-	
		intermittent		P	present	disturbing	
Fatigue							
Waking unrefreshed							
Cognitive symptoms							
						•	
In the past week, have you been bothered by any of the following?							
			0=No problem		1=Problem		
Headaches							
Pain or cramps in lower abdomen							
Depression							
Total SSS:(0-12	2)						
C							
Summary: 1. Criterion 1 is met if you have EITHER							
☐ WPI ≥ 7 and SSS ≥ 5 OR							
WPI 4-6 and SSS ≥ 9							
2. Generalized pain: met if you checked pain in 4/5 regions (not including items in italics)							
3. Symptoms present ≥ 3 months							
· · ·							

Fibromyalgia is diagnosed if you meet all 3 criteria 1-3, independent of whether other diagnoses contribute to these symptoms. This is new: FMS diagnosis used to require that there be no other diagnosis to explain the findings.